


**Average yield per province  
(Irrigation versus summer and winter rainfall areas)**



(Based on figures obtained from CEC)

**Average quality data of imported wheat during  
the 2008/2009 season (previous season)**

	Argentina	Australia	Brazil	Canada	Germany	USA	RSA
<b>Protein, % (12 % mb)</b>	11.74	12.17	12.54	14.20	10.95	10.64	12.00
<b>Hlm, kg/hl</b>	78.8	83.9	77.6	79.0	81.2	78.2	77.6
<b>Screenings, %</b>	3.03	0.77	4.44	3.87	1.64	1.94	1.72
<b>Number of samples</b>	59	5	4	10	24	9	480
<b>Extraction, %</b>	73.9	74.5	70.2	74.6	75.5	73.1	75.7
<b>Flour colour, KJ</b>	-1.2	-2.6	0.4	-1.8	-1.3	-1.3	-1.5
<b>Farinogram</b>							
<b>Water absorption, %</b>	60.5	61.9	63.2	62.3	60.5	55.2	61.1
<b>Development time, %</b>	2.3	3.9	2.3	5.5	1.8	1.7	4.0
<b>Alveogram</b>							
<b>Strength, cm<sup>2</sup></b>	39.4	49.5	30.5	51.2	32.4	26.1	38.0
<b>P/L</b>	2.11	1.26	2.09	1.01	2.09	1.09	0.90
<b>Extensogram</b>							
<b>Strength, cm<sup>2</sup></b>	92	124	59	119	81	74	90
<b>Mixogram (Bühler)</b>							
<b>Peak time, min</b>	4.0	2.8	2.8	3.2	3.4	4.0	2.6
<b>100 g Baking test</b>							
<b>Volume, cm<sup>3</sup></b>	764	833	785	956	715	729	902
<b>Evaluation</b>	3	2	3	2	3	1	0
<b>Number of samples</b>	59	5	4	10	24	9	100